

DEXTER BIODIESEL SOX Order Form

PART NUMBER

Build a sock filter part number by choosing a selection from each category on the back:

BOX 1 - BOX 2 - BOX 3 - BOX 4 - BOX 5 - BOX 6 = _____

example: BOX 1 BOX 2 BOX 3 BOX 4 BOX 5 BOX 6
SPE - 75 - P - 2 - S - H = SPE-75-P-2-S-H

CONTACT INFORMATION

Company Name _____

Contact Name _____

Street _____

City, State, Zip _____

Phone _____ Fax _____

Date _____ Email _____

Use the part numbering system on the reverse side to assist in part number selection.

Part Number _____

Quantity _____



info@dexterbiodiesel.com

713.38 .8595

Build a sox filter part number by choosing a selection from each category:

BOX 1 - BOX 2 - BOX 3 - BOX 4 - BOX 5 - BOX 6 = _____

Example:

BOX 1 BOX 2 BOX 3 BOX 4 BOX 5 BOX 6 = SPE100P2S0

| BOX 1 | BOX 2 | BOX 3 | BOX 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|---|--|----------|--------|---|------|------|---|------|------|---|------|-----|---|------|------|---|------|------|---|------|------|---|------|------|----|------|------|----|------|------|----|------|------|----|------|------|
| Bag Material SPE Polyester Felt SPO Polypropylene Felt SNY Nylon Felt SNO Nomex Felt SOM Polypropylene Monofilament Mesh SNM Nylon Monofilament Mesh SPU Polyester Multifilament Mesh SNU Nylon multifilament Mesh | Micron Rating See chart below for available micron ratings | Cover Material P Plain No Cover PEM Polyester Multifilament Mesh MN Muslin Mesh SBN Spun Bonded Nylon NMU Nylon Multifilament Mesh | Bag Size <table border="1"> <thead> <tr> <th></th> <th>Diameter</th> <th>Length</th> </tr> </thead> <tbody> <tr><td>1</td><td>7.06</td><td>16.5</td></tr> <tr><td>2</td><td>7.06</td><td>32.0</td></tr> <tr><td>3</td><td>4.12</td><td>8.0</td></tr> <tr><td>4</td><td>4.12</td><td>14.0</td></tr> <tr><td>7</td><td>5.50</td><td>15.0</td></tr> <tr><td>8</td><td>5.50</td><td>20.0</td></tr> <tr><td>9</td><td>5.50</td><td>31.0</td></tr> <tr><td>11</td><td>8.38</td><td>18.0</td></tr> <tr><td>12</td><td>8.38</td><td>36.0</td></tr> <tr><td>C1</td><td>7.31</td><td>16.5</td></tr> <tr><td>C2</td><td>7.31</td><td>32.5</td></tr> </tbody> </table> | | Diameter | Length | 1 | 7.06 | 16.5 | 2 | 7.06 | 32.0 | 3 | 4.12 | 8.0 | 4 | 4.12 | 14.0 | 7 | 5.50 | 15.0 | 8 | 5.50 | 20.0 | 9 | 5.50 | 31.0 | 11 | 8.38 | 18.0 | 12 | 8.38 | 36.0 | C1 | 7.31 | 16.5 | C2 | 7.31 | 32.5 |
| | Diameter | Length | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7.06 | 16.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 7.06 | 32.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 4.12 | 8.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 4.12 | 14.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | 5.50 | 15.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | 5.50 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | 5.50 | 31.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | 8.38 | 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | 8.38 | 36.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C1 | 7.31 | 16.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C2 | 7.31 | 32.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BOX 5 Collar Type S Standard Steel Ring SS Stainless Steel Ring DS Draw String P Plastic Flange C Commercial Snap Band | BOX 6 Options 0 No Options H Handles W Welded Seams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Construction | Fibers | 1 | 3 | 5 | 10 | 15 | 25 | 50 | 75 | 100 | 125 | 150 | 175 | 200 | 250 | 300 | 400 | 600 | 800 | 1000 |
|--------------------|---------------|-----|---|---|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| Felt | Polyester | SPE | • | • | • | • | • | • | • | • | | | | • | | | | | | |
| | Polypropylene | SPO | • | • | • | • | • | • | • | • | | | | | | | | | | |
| | Nylon | SNY | • | • | • | • | • | • | • | • | | | | | | | | | | |
| | Nomex | SNO | • | • | • | • | • | • | • | • | | | | | | | | | | |
| Monofilament Mesh | Polypropylene | SOM | | | | | | | | | | | | | • | | • | | | |
| | Nylon | SNM | | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Multifilament Mesh | Polyester | SPU | | | | | | | | • | | • | | • | • | • | • | • | • | • |
| | Nylon | SNU | | | | | | | | • | | • | | • | • | • | • | • | • | • |

| Medias | Mineral Acids | Organic Acids | Alkalies | Oxidizing Acids | Animal Vegetable Petro-Oils | Organic Solvents | Micro Organisms | Temp. Limits (°F) |
|---------------|---------------|---------------|----------|-----------------|-----------------------------|------------------|-----------------|-------------------|
| Polyester | Good | Good | Good | Good | Excellent | Excellent | Excellent | 275° |
| Polypropylene | Good | Excellent | Good | Fair | Excellent | Good | Excellent | 200° |
| Nomex | Fair | Fair | Good | Poor | Excellent | Excellent | Excellent | 425° |
| Nylon | Poor | Fair | Good | Poor | Excellent | Excellent | Excellent | 300° |